

SWADESH INTERNATIONAL



AUTO CARE CONCENTRATE RANGE



❖ SWADESH CONCENTRATE PRODUCT RANGE



Home Care Concentrate

Personal Care Concentrate

Auto care Concentrate

Bio Degradable (Eco Friendly) Home Care Concentrate


SWADESH INTERNATIONAL




- ❑ **As Auto care industry growing faster but logistics is big challenge..!**
- ❑ **Our Concentrate is one stop solution for manufacturer, there is no technical skill, More flexibility, cost Effective...!**

AUTO CARE CONCENTRATE

- Dash Board Polish Concentrate 3x
- Tyre Polish Concentrate 3x
- Car Shampoo Concentrate 5x
- Foam Wash Concentrate 5x
- Coolant Concentrate 10x



SWADESH INTERNATIONAL



- Dash Board Polish Concentrate 3x

Ingredient	Proportion
Water	2
DPC3X	1 KG

Process For 3 liter Batch :

- + Add **DPC 3X**@ 1kg,
- + Add 1 Ltr Water first & Break Paste & Mix Well, After Stable add Remaining water 1 ltr water slowly and stir rigorously (at 150-200 RPM approx.) for 15 mins & Keep it Aside for Stable.
- Continue Same Proportion for Next Batch.




- Tyre Polish Concentrate 3x

Ingredient	Proportion
Water	2
TPC3X	1 KG

Process For 3 liter Batch :

- + Add **TPC 3X**@ 1kg,
- + Add 1 Ltr Water first & Break Paste & Mix Well, After Stable add Remaining water 1 ltr water slowly and stir rigorously (at 150-200 RPM approx.) for 15 mins & Keep it Aside for Stable.
- Continue Same Proportion for Next Batch.



- Car Shampoo Concentrate 5x

Ingredient	Proportion
Water	4
CSC 5X	1 KG

Process For 5 liter Batch :

- + Add **CSC 5X** @ 1 lt,
 - + Add 4 lt water slowly and stir rigorously (at 150-200 RPM approx.) for 15 mins.
- Continue Same Proportion for Next Batch.



- Foam Wash Concentrate 5x

Ingredient	Proportion
Water	4
FWC 5X	1 KG


Process For 5 liter Batch :

- ✚ Add **FWC 5X** @ 1 lt,
- ✚ Add 4 lt water slowly and stir rigorously (at 150-200 RPM approx.) for 15 mins.
 - Continue Same Proportion for Next Batch.

✦ *The best way to take advantage of foam's pre-wash is to spray it onto your vehicle with foam gun connected to a pressure washer.*



SWADESH INTERNATIONAL



- Coolant Concentrate 10x

Ingredient	Proportion
Water	9
CC 10X	1 KG

Process For 10 liter Batch :

- + Add **CC 10X** @ 1 lt,
- + Add 9 lt water slowly and stir rigorously (at 150-200 RPM approx.) for 15 mins.
 - Continue Same Proportion for Next Batch.

✦ *Coolant Liquid Helps in Maintaining Optimum Fuel Economy.
Antifreeze/coolant is responsible for maintaining the life of your Vehicle's engine.*



SWADESH INTERNATIONAL



SWADESH INTERNATIONAL

Reg. Office: H/1, Sumel-7, Soni Ni Chawl, Rakhial, Ahmedabad.

Factory: Plot No: 7, Shri Hari Ind. Estate, Kadadara Village, Gandhinagar.

Email : business.swadesh@gmail.com, swadeshinternational9@gmail.com

Web : www.swadeshinternational.com

Mo : +91 9904746569/ 6356989219/ 6359119541/ 9913135564/ 7859969199